


**NON-STERILE
SURGICAL LAMINATED GOWN
AGAINST LIQUIDS**

**REF.NO:30.004.02
PRODUCT DATA SHEET**

PRODUCT DATA SHEET
SURGICAL LAMINATED GOWN AGAINST LIQUIDS-Non-Sterile

1) PRODUCT COMPONENTS



ITEM:1

Surgical Laminated Gown Against Liquids Size:
XL

2) DETAILS OF PRODUCT COMPONENTS

ITEM	QTY	PRODUCT	PRODUCTION TYPE	DIMENSION	COLOUR
1	1	Surgical Laminated Gown Against Liquids	Biflex 56 gr/m ² (+/-3)	Size: XL	Blue

TOLERANCES: - + 3%

MEASUREMENT (cm)

SIZE	CODE	A	B	C	D	E
XL	30.004.02	135	125	32	62	150

PRODUCT DATA SHEET
SURGICAL LAMINATED GOWN AGAINST LIQUIDS-Non-Sterile

3) QUALITY CONTROL RESULTS FOR FABRIC

Fabric Type	Characteristic	Test Method	Unit	Requirement(High Performance/Critical Area)	Test Result
BIFLEX 56 gr/m²	Tensile Strength- Dry	EN 29073-3	N	>=20	75
	Tensile Strength-Wet	EN 29073-3	N	>=20	80
	Bursting Strength –Dry	EN ISO 13938-1	kPa	>=40	150
	Bursting Strength -Wet	EN ISO 13938-1	kPa	>=40	150
	Resistance to Microbial Penetration	EN ISO 22610	lb	^{bc} 6,0	6
	Cleanliness-Microbial	EN ISO 11737-1	Log(10)CFU/dm2	<=3	0,5
	Cleanliness-Particulate Matter	EN ISO 9073-10	IPM	<=3,5	1,1
	Linting	EN ISO 9073-10	log 10(lint count)	<=4,0	1,3
	Resistance to Liquid	EN 20811	cm H2O	>100	>981

4) GENERAL INFORMATION


Product Description	Surgical Laminated Gown Against Liquids-Non-Sterile
Certificates	EC Certificate
	ISO 13485
Standards	EN 13795 ISO15223-1
	ISO11135
	EN556-1
	EN ISO 11737
	EN ISO 10993
	EN ISO 11607
	EN ISO 14644
Instructions For Usage	This set can be used during the surgery operations.

PRODUCT DATA SHEET
SURGICAL LAMINATED GOWN AGAINST LIQUIDS-Non-Sterile

5) PACKAGING

- 1 polybag per carton
- 80 pcs/box

Packaging	<u>Pallet system</u>	<u>Carton</u>
	Height (cm) -A	40
	Width (cm) - B	60
	Length (cm) - C	40



PRODUCT DATA SHEET
SURGICAL LAMINATED GOWN AGAINST LIQUIDS-Non-Sterile

