

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31 **Clinitex 70% Isopropanol/Water wipes**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name	Clinitex 70% Isopropanol/water wipes
--------------	--------------------------------------

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product Use	(SU22) professional uses: Public domain (administration, education, entertainment, services, craftsmen);(PC35) washing and cleaning products (including solvent based products).
-------------	--

1.3 Details of the supplier of the safety data sheet

Company	
Address	
Telephone	
Fax	
Email	

1.4 Emergency telephone number


Emergency tel.	
Company	

SECTION 2: Hazards identification

2.1 Classification of the substance mixture

2.1.1. Classification - 67/548/EEC	F;R11 Xi; R36 R67 Symbols: f: Highly flammable. Xi Irritant.
Main hazards	Highly Flammable. Causes serious eye irritation. Vapours may cause drowsiness and dizziness.
2.1.2. Classification- EC 1272/2008	Flam. Liq.2: H225: Eye Irrit. 2: H319; STOT SE 3: H336.

2.2 Label elements

Hazard pictograms	
Signal word	Danger
Hazard statement	Flam. Liq. 2: H225 – Highly flammable liquid and vapour. Eye Irrit 2: H319 – Causes serious eye irritation.
Precautionary Statement: Prevention	STOT SE 3: H336 - May cause drowsiness or dizziness. P102 – Keep out of reach of children. P103 – Read label before use. P210 – Keep away from heat/sparks/open flames/hot surfaces. – No smoking. P233 – Keep container tightly closed. P264 – Wash thoroughly after handling. P271 - Use in well-ventilated area. P280 – Wear protective gloves/eye protection.
Precautionary Statement: Response.	P101 - If medical advice is needed, have product container or label at hand. P301+P312-IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P304+P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P353+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/ physician if you feel unwell. P337+P313 - If eye irritation persists: Get Medical advice/Attention. P370+P378 – In case of fire: Use extinguishing media appropriate to the surrounding fire conditions. Alcohol resistant foam, Carbon dioxide (CO ²) for extinction.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to a licensed waste disposal company in compliance with local and national regulations.

2.3 Other hazards

Other hazards	This product does not contain any PBT or VPvB substances.
---------------	---

Further Information.

Detergent Labelling	70%v/v Isopropyl Alcohol
---------------------	--------------------------

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical Name	Index No	CAS No	EC No	Reach Registration No.	Conc (%w/w)	Classification
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		60 -70%	Flam. Liq.2: H225: Eye Irrit.2: H319; STOT SE 3; H336:

3.2. Mixtures

	See section 3.1. For further information.
--	---

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if irritation or symptoms persist.
Eye Contact Skin Contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
	No irritation expected. Wash off immediately with plenty of soap and water. Seek medical attention if irritation or symptoms persist.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation Eye Contact Skin Contact Ingestion	Vapours may cause drowsiness and dizziness.
	Causes serious eye irritation.
	There may be irritation and redness at the site of contact.
	There may be soreness and redness of the mouth and throat.

4.3 Indication of any immediate medical attention and special treatment needed

	If you feel unwell seek medical advice (show the label where possible) no specific first aid measures noted.
--	--

SECTION 5: Fire fighting methods

5.1 Extinguishing media

	Alcohol resistant foam. Carbon dioxide (CO ²) Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2 Special hazards arising from the substance or mixture

	Vapour may travel considerable distance to source of ignition and flash back.
--	---

5.3 Advice for fire fighters

	Protective equipment. Wear suitable respiratory equipment when necessary.
--	---

SECTION 6: Accidental release measures

Print date 26/06/2017

Revision 2

6.1 Personal precautions, protective equipment and emergency procedures

	Eliminate all sources of ignition. Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. Surfaces contaminated with the product will become slippery.
--	--

6.2 Environmental precautions

	Do not allow product to enter drains. Do not flush into surface water.
--	--

6.3 Methods and material for containment and cleaning up

	Transfer to suitable, labelled container for disposal.
--	--

6.4 Reference to other sections

	For waste disposable see section 13.
--	--------------------------------------

SECTION 7: Handling and storage

7.1 Precautions for safe handling

	Avoid sparks, flames, heat and sources of ignition. Avoid contact with skin and eyes. Do not eat drink or smoke in areas where this product is used or stored. Wash hands after handling the product. Adopt best manual handling considerations when handling, carrying or dispensing.
--	--

7.2 Conditions for safe storage, including any compatibilities

	Keep out of the reach of children. Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	---

7.3 Specific end use(s)

	Restricted to professional users.
--	-----------------------------------

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Exposure limit values

Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m ³ : 999
	WEL 15min limit ppm: 500	WEL 15-min limit mg/m ³ : 1250

8.2 Exposure controls

8.2.1 Appropriate Engineering controls	Keep in a cool, dry, well ventilated area. No smoking. Keep containers tightly closed.
8.2.2 Individual protection measures	Wear Protective gloves/eye protection.
Eye/Face protection	Provide eye wash station.

8.2.3 Environmental Exposure controls	Do not empty into drains. Do not flush into surface water.
Skin protection	Neoprene gloves.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State	Impregnated wet wipes
Colour	White.
Odour	Alcoholic.
Flash point	18.7°C

SECTION 10: Stability and reactivity

10.1 Reactivity

	Avoid sparks, flames, heat and sources of ignition.
--	---

10.2 Chemical stability

	Stable under normal conditions. Will not decompose if stored and used as recommended.
--	---

10.3 Possibility of hazardous reactions

	Strong acids and strong bases. Strong oxidising agents.
--	---

10.4 Conditions to avoid

	Heat, sparks and open flames. Do NOT allow to freeze.
--	---

10.5 Incompatible materials

	Strong acids and strong bases. Strong oxidising agents.
--	---

10.6 Hazardous decomposition products

	Burning produces irritating, toxic and obnoxious fumes.
--	---

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity	Based on available data the classification criteria are not met.
Skin corrosion/irritation	Based on available data the classification criteria are not met.
Serious eye damage/irritation	May cause serious eye irritation.
Respiratory or skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No teratogenic effects reported
STOT-single exposure	Not classified as a specific target organ toxicant after a single exposure.
STOT- repeated exposure	No classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	Based on available data the classification criteria are not met.

11.1.4 Toxicological Information

	No data available
--	-------------------

SECTION 12: Ecological information

12.1 Toxicity

	No data available
--	-------------------

12.2 Persistence and degradability

	The surfactants(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
--	--

12.3 Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

12.4 Mobility in soil

	The product is soluble in water.
--	----------------------------------

12.5. Result of PBT and VPvB assessment

	This product does not contain any PBT or VPvB substances.
--	---

12.6 Other adverse effects

	Not known.
--	------------

SECTION 13: Disposal considerations

13.1 Waste treatment methods

	Contact a licensed waste disposal company. Dispose of as special waste in compliance with local and national regulations. For disposal within the EC, the appropriate code to the European Waste Catalogue (EWC) should be used. Empty containers can be sent to landfill after Cleaning, if in compliance with, local and national regulations.
--	--

SECTION 14: Transport Information

Hazard pictograms

14.1. UN number

	UN 3175 Solids containing flammable liquid
--	--

14.2. Un proper shipping name

Solids containing flammable liquid

ADR/RID	Class 4.1 Limited quantities LQ8 Tunnel code (E)
IMDG	3
IATA	3
	Limited Quantity Packing Inst: Y441
14.4 Packing Group	
Packing group	II

14.5. Environmental Hazards

Environmental hazards	No
Marine pollutant	No

14.6 Special precautions for user

	Not applicable
--	----------------

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legalisation specific for the substance or mixture

	<p>Commission Directive 2000/39/EC of 8 June 2000 established a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Regulation Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation(EC) No 1488/94 as well as Council Directive 76/69/EEC and Commission Directive 91/155/EEC, 93/67/EEC, 93/105/EEC and 2000/21/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Directive 91/322/EEC of 29 May1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks to exposur4e to chemical, physical and biological agents at work.</p>
--	---

15.2 Chemical safety assessment

	No chemical safety assessment has been carried out.
--	---

SECTION 16: Other information

Other information

Revision	This document differs from previous version in the following areas; 3-Further information. 8-Further information. 16-Glossary.
----------	--

Text of risk phrases in section 3	R11 – Highly flammable. R36 - Irritating to eyes. R67 – vapours may cause drowsiness and dizziness.
Text of Hazard Statements in Section 3	Flam. Liq.2:H225 – Highly flammable liquid and vapour. Eye Irrit. 2: H319 – Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness
Glossary.	ADR European Agreement concerning the international Carriage of Dangerous Goods by Road. IATA International Air Transport Association. IMDG International Maritime Dangerous Goods. PBT Persistent, Bioaccumulative, toxic. RID Convention concerning International Carriage by Rail. vPvB very persistent, very Bioaccumulative, STOT Specific Target Organ Toxicity. WEL Workplace Exposure Limit.

General information

	Only trained personnel should use this material
--	---

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy, reliability or completeness. This information relates only to the specific material used in combination with any other materials or in any other process. It is the user's responsibility to satisfy him /her as to the suitability of such information for his/her own particular use.
--	---