

# Safety Data Sheet (SDS) Report

Applicant: Orcagel Ltd, Blackhouse Circle, Blackhouse Industrial Estate, Peterhead, AB42 1BN

2020-04-28

#### Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name Hand Sanitiser Gel 70% Alcohol

Physical State : Liquid

Data Received : Apr 17, 2020

Initial Version Date : Apr 26, 2020

Data Reviewed : Apr 28, 2020

## Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated according to requirements of Regulation (EC) No 1907/2006 (REACH) with its amendment Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008, for details please refer to attached pages.

#### Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai

Anna Wang Regulatory Consultant This report shall not be reproduced except in full, without the written approval of the laboratory.

## Intertek Health, Environmental & Regulatory Services (HERS)

5<sup>th</sup> Floor,Building No.86,1198 QinZhou Road(North),Cao Hejing Development Zone,ShangHai,China.

Tel: +86 021 53397917 ZIP: 200233 E-mail:hers@intertek.com

# **Safety Data Sheet**

# Hand Sanitiser Gel 70% Alcohol

Version No:3.0

According to Regulation (EC) No 1907/2006(REACH) with its amendment Commission Regulation (EU) 2015/830

Issue Date:28/04/2020 REACH.GBR.EN

## SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

## 1.1. Product Identifier

Product name	Hand Sanitiser Gel 70% Alcohol	
Proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
Other means of identification	Not Available	

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	sanitizer
Uses advised against	Not Applicable

#### 1.3. Details of the supplier of the safety data sheet

Supplier Name	Orcagel Ltd	
Address	Blackhouse Circle, Blackhouse Industrial Estate, Peterhead, AB42 1BN	
Telephone	+44 (0)1779 871945	
Email	technical@orcagel.com	

#### 1.4. Emergency telephone number

Association / Organisation	Orcagel Ltd
Emergency telephone numbers	+44 (0)1779 871945

## **SECTION 2 HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Considered a hazardous mixture according to Reg. (EC) No 1272/2008 and their amendments. Classified as Dangerous Goods for transport purposes.

Classification according to regulation (EC) No 1272/2008 [CLP]

H225 - Flammable Liquid Category 2

## 2.2. Label elements

Hazard pictogram(s)



SIGNAL WORD

DANGER

# Hazard statement(s)

H225 Highly flammable liquid and vapour.

# Supplementary statement(s)

Not Applicable

# Precautionary statement(s) General

## Precautionary statement(s) Prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P233	Keep container tightly closed.	
P240	Ground and bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting/intrinsically safe equipment.	
P242	Use non-sparking tools.	
P243	Take action to prevent static discharges.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

#### Precautionary statement(s) Response

P370+P378

In case of fire: Use alcohol resistant foam or normal protein foam to extinguish.

#### Precautionary statement(s) Storage

P403+P235 Store in a well-ventilated place. Keep cool.

#### Precautionary statement(s) Disposal

P501

Dispose of contents/container to authorised hazardous or special waste collection point in accordance with any local regulation.

#### 2.3. Other hazards

REACH-Art.57-59: The mixture does not contain Substances of Very High Concern(SVHC) at the SDS print date.

# **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1.Substances

See 'Composition on ingredients' in Section 3.2

#### 3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]	
1.64-17-5 2.200-578-6 3.603-002-00-5 4.Not Available	70	<u>ethanol</u>	Flammable Liquid Category 2; H225	
1.7732-18-5 2.231-791-2 3.Not Available 4.Not Available	26.4556	water	Not Classified	
1.56-81-5 2.200-289-5 3.Not Available 4.Not Available	3	glycerol	Not Classified	
1.9007-20-9 2.Not Available 3.Not Available 4.Not Available	0.4	Carbomer	Not Classified	
1.8001-97-6 2.Not Available 3.Not Available 4.Not Available	0.1	aloes	Not Classified	
1.1310-73-2 2.215-185-5 3.011-002-00-6 4.Not Available	0.04	sodium hydroxide	Skin Corrosion/Irritation Category 1A; H314 SCL: Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %	
1.860-22-0 2.212-728-8 3.Not Available 4.Not Available	0.0042	C.I. Acid Blue 74	Skin Sensitizer Category 1; H317	
1.4430-18-6 2.224-618-7 3.Not Available 4.Not Available	0.0002	C.I. Acid Violet 43	Serious Eye Damage Category 1; H318	

#### **SECTION 4 FIRST AID MEASURES**

# 4.1. Description of first aid measures

If this product comes in contact with the eyes: ▶ Wash out immediately with fresh running water.

**Eye Contact** 

- Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper
- ▶ Seek medical attention without delay; if pain persists or recurs seek medical attention.
- ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

#### **Skin Contact**

If skin contact occurs:

▶ Seek medical attention in event of irritation.

Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

#### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to ethanol:

- Acute ingestion in non-tolerant patients usually responds to supportive care with special attention to prevention of aspiration, replacement of fluid and correction of nutritional deficiencies (magnesium, thiamine pyridoxine, Vitamins C and K).
- ▶ Give 50% dextrose (50-100 ml) IV to obtunded patients following blood draw for glucose determination.
- Comatose patients should be treated with initial attention to airway, breathing, circulation and drugs of immediate importance (glucose, thiamine).
- ▶ Decontamination is probably unnecessary more than 1 hour after a single observed ingestion. Cathartics and charcoal may be given but are probably not effective in single ingestions.
- ▶ Fructose administration is contra-indicated due to side effects.

#### **SECTION 5 FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

- Alcohol stable foam.
- ► Dry chemical powder.

## 5.2. Special hazards arising from the substrate or mixture

Fire Incompatibility	Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result		
5.3. Advice for firefighters			
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>May be violently or explosively reactive.</li> </ul>		
Fire/Explosion Hazard	Liquid and vapour are highly flammable. Severe fire hazard when exposed to heat, flame and/or oxidisers. Combustion products include: carbon dioxide (CO2) carbon monoxide(CO)		

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

See section 8

#### 6.2. Environmental precautions

See section 12

# 6.3. Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> </ul>

## 6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

# **SECTION 7 HANDLING AND STORAGE**

## 7.1. Precautions for safe handling

Safe handling	<ul> <li>Containers, even those that have been emptied, may contain explosive vapours.</li> <li>Do NOT cut, drill, grind, weld or perform similar operations on or near containers.</li> <li>Limit all unnecessary personal contact.</li> <li>Wear protective clothing when risk of exposure occurs.</li> </ul>
Fire and explosion protection	See section 5
Other information	<ul> <li>Store in original containers in approved flame-proof area.</li> <li>No smoking, naked lights, heat or ignition sources.</li> </ul>

# 7.2. Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>PET Container</li> <li>Plastic containers may only be used if approved for flammable liquid.</li> </ul>
Storage incompatibility	<ul> <li>Avoid oxidising agents, acids, acid chlorides, acid anhydrides, chloroformates.</li> <li>Avoid strong bases.</li> </ul>

# 7.3. Specific end use(s)

See section 1.2

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1. Control parameters

Ingredient	DNELs Exposure Pattern Worker	PNECs Compartment
Hand Sanitiser Gel 70% Alcohol	Not Available	Not Available

## OCCUPATIONAL EXPOSURE LIMITS (OEL)

## INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs)	ethanol	Ethanol	1000 ppm / 1920 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	glycerol	Glycerol, mist	10 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	sodium hydroxide	Sodium hydroxide	Not Available	2 mg/m3	Not Available	Not Available

# 8.2. Exposure controls

8.2.1. Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
8.2.2. Personal protection	
Eye and face protection	<ul><li>► Safety glasses with side shields.</li><li>► Chemical goggles.</li></ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</li> </ul>
Body protection	See Other protection below
Other protection	<ul> <li>Overalls.</li> <li>PVC Apron.</li> <li>Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce static</li> </ul>

▶ For large scale or continuous use wear tight-weave non-static clothing (no metallic fasteners, cuffs or pockets).

# 8.2.3. Environmental exposure controls

See section 12

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Appearance	Blue Liquid		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available

pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Highly flammable liquid and vapour.	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water	Not Available	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

## 9.2. Other information

Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

10.1.Reactivity	See section 7.2
10.2. Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul>
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

# SECTION 11 TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

cal effects
ethanol  Inhalation (rat) LC50: 124.7 mg/l/4H[2]  glycerol  Oral (guinea pig) LD50: 7750 mg/kg[2]  Oral (mouse) LD50: 4090 mg/kg[2]  Oral (rat) LD50: 12600 mg/kg[2]  aloes  Oral (rat) LD50: >5000 mg/kg[2]  sodium hydroxide  Dermal (rabbit) LD50: 1350 mg/kg[2]  C.I. Acid Blue 74  Oral (mouse) LD50: 2500 mg/kg[2]  Oral (rat) LD50: 2500 mg/kg[2]
Paced an available data the electification criteria are not mot
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

Page 6 of 9

Version No:3.0

Page 6 of 9

Issue Date:28/04/2020

# Hand Sanitiser Gel 70% Alcohol

STOT - Single Exposure	Based on available data, the classification criteria are not met.
STOT - Repeated Exposure	Based on available data, the classification criteria are not met.
Aspiration Hazard	Based on available data, the classification criteria are not met.
Legend:	Nalue obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

# **SECTION 12 ECOLOGICAL INFORMATION**

## 12.1. Toxicity

Orcagel Hand Sanitiser Gel-70% Alcohol/ Handsafe Hand sanitizer gel-70% Alcohol

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ethanol	LOW (Half-life = 2.17 days)	LOW (Half-life = 5.08 days)
glycerol	LOW	LOW
sodium hydroxide	LOW	LOW
C.I. Acid Blue 74	HIGH	HIGH
C.I. Acid Violet 43	HIGH	HIGH

# 12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
ethanol	LOW (LogKOW = -0.31)
glycerol	LOW (LogKOW = -1.76)
sodium hydroxide	LOW (LogKOW = -3.8796)
C.I. Acid Blue 74	LOW (LogKOW = -0.9914)
C.I. Acid Violet 43	LOW (LogKOW = 3.0778)

# 12.4. Mobility in soil

Ingredient	Mobility
ethanol	HIGH (KOC = 1)
glycerol	HIGH (KOC = 1)
sodium hydroxide	LOW (KOC = 14.3)
C.I. Acid Blue 74	LOW (KOC = 99.07)
C.I. Acid Violet 43	LOW (KOC = 421.8)

## 12.5.Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not Applicable	Not Applicable	Not Applicable
PBT Criteria fulfilled?	Not Applicable	Not Applicable	Not Applicable

# 12.6. Other adverse effects

No data available

# **SECTION 13 DISPOSAL CONSIDERATIONS**

# 13.1. Waste treatment methods

Product / Packaging disposal	Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area.  • DO NOT allow wash water from cleaning or process equipment to enter drains.  • It may be necessary to collect all wash water for treatment before disposal.  • Recycle wherever possible.  • Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
Waste treatment options	Not Available
Sewage disposal ontions	Not Available

# **SECTION 14 TRANSPORT INFORMATION**

Marine Pollutant	NO
HAZCHEM	•2YE

# Land transport (ADR)

14.1. UN number	1170		
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
14.3. Transport hazard class(es)	Class 3 Subrisk Not Applicable		
14.4. Packing group	II		
14.5. Environmental hazard	Not Applicable		
14.6. Special precautions for user	Hazard identification (Kemler)  Classification code  Hazard Label  Special provisions  Limited quantity	33 F1 3 144 601	
	Tunnel Restriction Code	2 (D/E)	

# Air transport (ICAO-IATA / DGR)

14.1. UN number	1170		
14.2. UN proper shipping name	Ethanol. solution		
	ICAO/IATA Class	3	
14.3. Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable	
ciass(cs)	ERG Code 3L		
14.4. Packing group	II		
14.5. Environmental hazard	Not Applicable		
	Special provisions		A3 A58 A180
	Cargo Only Packing Instructions		364
	Cargo Only Maximum Qty / Pack		60 L
14.6. Special precautions for user	Passenger and Cargo Packing Instructions		353
	Passenger and Cargo Maximum Qty / Pack		5 L
	Passenger and Cargo Limited Quantity Packing Instructions		Y341
	Passenger and Cargo Limited Maximum Qty / Pack		1 L

# Sea transport (IMDG-Code / GGVSee)

14.1. UN number	1170	
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
14.3. Transport hazard class(es)	IMDG Class 3 IMDG Subrisk Not Applicable	
14.4. Packing group		
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	EMS Number F-E , S-D Special provisions 144 Limited Quantities 1 L	

# Inland waterways transport (ADN)

14.1. UN number	1170
14.2. UN proper shipping name	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Page 8 of 9 Version No:3.0 Issue Date: 28/04/2020

#### Hand Sanitiser Gel 70% Alcohol

14.3. Transport hazard class(es)	3   Not Applicable	
14.4. Packing group	II	
14.5. Environmental hazard	Not Applicable	
14.6. Special precautions for user	Classification code Special provisions Limited quantity Equipment required Fire cones number	F1 144; 601 1 L PP, EX, A

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## **SECTION 15 REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations / legislation specific for the	substance or mixture	
WATER IS FOUND ON THE FOLLOWING REGULATORY LISTS		
Europe EC Inventory Europe European Customs Inventory of Chemical Substances	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)	
ETHANOL IS FOUND ON THE FOLLOWING REGULATORY LISTS		
Europe EUropean Custome Inventory of Chamical Substances	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)	
Europe European Customs Inventory of Chemical Substances	European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI	
	UK Workplace Exposure Limits (WELs)	
GLYCEROL IS FOUND ON THE FOLLOWING REGULATORY LISTS		
Europe EC Inventory	European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)	
Europe European Customs Inventory of Chemical Substances	UK Workplace Exposure Limits (WELs)	
CARBOMER IS FOUND ON THE FOLLOWING REGULATORY LISTS		
Europe European Customs Inventory of Chemical Substances		
ALOES IS FOUND ON THE FOLLOWING REGULATORY LISTS		
Not Applicable		

# SODIUM HYDROXIDE IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory Europe European Customs Inventory of Chemical Substances European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

UK Workplace Exposure Limits (WELs)

## C.I. ACID BLUE 74 IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory Europe European Customs Inventory of Chemical Substances European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

# C.I. ACID VIOLET 43 IS FOUND ON THE FOLLOWING REGULATORY LISTS

Europe EC Inventory Europe European Customs Inventory of Chemical Substances European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: Directives 98/24/EC, - 92/85/EEC, - 94/33/EC, - 2008/98/EC, -2010/75/EU; Commission Regulation (EU) 2015/830; Regulation (EC) No 1272/2008 as updated through ATPs.

# 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **SECTION 16 OTHER INFORMATION**

#### Full text Risk and Hazard codes

H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

#### Other information

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices

#### **Definitions and abbreviations**

PC—TWA: Permissible Concentration-Time Weighted Average PC—STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index